This listing of the claims will replace all prior versions and listings of the claims in the application.

## **Listing of the Claims:**

Claims 1-37 (Canceled)

38. (Currently Amended) A method for cooling cheese blocks comprising: placing a plurality of cheese blocks sequentially into different sections cells of a tank, wherein the sections cells are arranged horizontally with respect to each other and contain cheese blocks that have been in the tank for different amounts of time; and

while cheese blocks are confined within each section cell of the tank, flowing liquid through the tank from a section cell that contains cheese blocks that have been in the tank substantially the greatest amount of time horizontally toward a section cell that contains cheese blocks that have been in the tank substantially the least amount of time.

39. (Currently Amended) The method as recited in claim 38 wherein placing a plurality of cheese blocks sequentially into different sections cells of a tank comprises sequentially directing cheese blocks from an inlet flume into each section cell, wherein the cheese blocks in each section cell at a given point in time have been in the tank different amounts of time than the cheese blocks in other sections cells.

40. (Currently Amended) The method as recited in claim 39 wherein flowing liquid through the tank comprises:

introducing chilled liquid into a given section <u>cell</u> that contains cheese blocks which have been in the tank for substantially the greatest amount of time;

transferring liquid <u>horizontally</u> from the given section <u>cell</u> into the section <u>cell</u> that contains cheese blocks which have been in the tank for the next greatest amount of time; and

continuing to transfer liquid sequentially into other sections <u>cells</u> of the tank, by successively transferring the liquid <u>horizontally</u> from a <u>cell section by</u> that contains cheese blocks which have been in the tank for a <u>lesser greater</u> amount of time than a <u>section cell</u> which receives the liquid.

- 41. (Currently Amended) The method as recited in claim 38 further comprising removing liquid from the <u>tank at the cell section</u> containing cheese blocks that have been in the tank substantially the least amount of time.
- 42. (Currently Amended) A method for cooling cheese blocks in a tank that is divided by walls into a plurality of cooling cells arranged horizontally, said method comprising:

placing a plurality of cheese blocks into different ones of the plurality of cooling cells, wherein the plurality of cooling cells contain cheese blocks at different temperatures; introducing a liquid into a selected one of the plurality of cooling cells; and

transferring the liquid <u>horizontally</u> from the selected one of the plurality of cooling cells to another cooling cell and then sequentially from cooling cell to cooling cell, wherein each transfer is <u>horizontally</u> from a cooling cell containing cheese blocks that are colder than cheese blocks in a cooling cell into which the liquid is entering.

43. (Previously Presented) The method as recited in claim 42 wherein introducing a liquid introduces the liquid into the cooling cell that contains cheese blocks having the lowest temperature.

Claim 44 (cancelled).

45. (Previously Presented) The method as recited in claim 42 further comprising chilling the liquid prior to introduction into the tank.

Claims 46-49 (cancelled).

- 50. (Currently Amended) The method as recited in claim 38 wherein the different sections cells are formed by dividing the tank with walls into a plurality of eooling cells.
- 51. (Currently Amended) The method as recited in claim 38 further comprising entirely submerging at least some of the cheese blocks in each section cell of the tank.

- 52. (Previously Presented) The method as recited in claim 42 further comprising entirely submerging at least some of the cheese blocks in each cooling cell of the tank.
- 53. (Currently Amended) A method for cooling cheese blocks comprising: placing a plurality of cheese blocks sequentially into different sections cells of a tank, wherein the sections cells are arranged horizontally with respect to each other and contain cheese blocks that have been in the tank for different amounts of time;

entirely submerging at least some of the cheese blocks in each section cell of a tank; and

while cheese blocks are submerged within each section <u>cell</u> of the tank, flowing liquid <u>horizontally</u> through the tank from a section <u>cell</u> that contains cheese blocks that have been in the tank substantially the greatest amount of time toward a section <u>cell</u> that contains cheese blocks that have been in the tank substantially the least amount of time.

54. (Currently Amended) The method as recited in claim 53 wherein flowing liquid through the tank comprises:

introducing chilled liquid into a given section <u>cell</u> that contains cheese blocks which have been in the tank for substantially the greatest amount of time;

transferring liquid from the given section <u>cell horizontally</u> into the section <u>cell</u> that contains cheese blocks which have been in the tank for the next greatest amount of time; and

continuing to transfer liquid sequentially into other sections <u>cells</u> of the tank, by successively transferring the liquid <u>horizontally</u> from a section <u>cell</u> by that contains cheese blocks which have been in the tank for a lesser amount of time than a section <u>cell</u> which receives the liquid.

- 55. (Currently Amended) The method as recited in claim 53 wherein the different sections cells are formed by dividing the tank with walls into a plurality of cooling cells.
- 56. (New) The method as recited in claim 55 wherein the tank has two opposing first and second sidewalls and each of the walls extends from the first sidewall to the second sidewall.
- 57. (New) The method as recited in claim 42 wherein the tank has two opposing first and second sidewalls and each of the walls extends from the first sidewall to the second sidewall.
- 58. (New) The method as recited in claim 50 wherein the tank has two opposing first and second sidewalls and each of the walls extends from the first sidewall to the second sidewall.